SSS AQUA POOL

Swim in Excellence

SSS AQUA POOL
SHINE WAVE












SSS
AQUA POOL
SHINE WAVES

Introduction

SSS AQUA POOL
SHINE WAVE

SSS Aqua Pool is a leading name in the swimming pool equipment industry, based in Delhi and catering to customers across India. Established with a vision to provide high-quality swimming pool solutions, we specialize in a wide range of products, including swimming pool pumps, filters, lights, and other essential equipment. Our commitment to excellence and customer satisfaction has made us a trusted partner for residential, commercial, and industrial pool installations.

At SSS Aqua Pool, we understand the importance of a well-maintained swimming pool, which is why we offer products that ensure optimal performance, efficiency, and longevity. Whether you are a pool owner looking to upgrade your equipment or a business in need of reliable pool solutions, we have the expertise and inventory to meet your needs. We source our products from renowned international and domestic manufacturers, ensuring the highest standards of quality and innovation.

Our extensive range includes energy-efficient pumps, advanced filtration systems, LED pool lighting, automation systems, and much more. Each product is carefully selected to provide ease of use, durability, and cost-effectiveness. With a focus on technology-driven solutions, SSS Aqua Pool helps customers create and maintain pools that are not only functional but also aesthetically pleasing and environmentally sustainable.

What sets us apart is our personalized approach. We work closely with our clients, understanding their specific requirements, and providing tailored recommendations for their pool setups. Our dedicated support team ensures that every customer receives timely delivery, installation assistance, and ongoing after-sales service.

With SSS Aqua Pool, you can be assured of top-tier products, exceptional customer service, and reliable solutions that guarantee your pool remains in prime condition throughout the year. Whether you are looking for new installations or upgrades, SSS Aqua Pool is your trusted partner for all swimming pool equipment needs.

info@sssaquapool.in

SSS AQUA POOL
SHINE WAVE

Our Presence

WE ARE LEADING MANUFACTURER OF ALL INDIA



We are
Growing

SSS AQUA POOL
SHINE WAVE

INDEX

Sr. No.	Product Name	Page No
1.	Filteration Equipments	5,6,7,8
2.	Pipeless Filters	9
3.	Filter Media	10
4.	Swimming Pool Pumps	11,12,13,
5.	Swimming Pool Ladders	14,15
6.	Commercial Heat Pump	16
7.	SS Shower spray head	17
8.	Robotic Pool Cleaner	18
9.	Pool Fittings	19,20
10.	Pool Cleaning Equipments	21,22,23
11.	Swimming Pool Underwater Light	24,25,26,27
12.	Counter Current Pump	28,29
13.	Water Treatment	30
14.	Swimming Pool Cover	31
15.	Swimming Pool Gratings	32
16.	Swimming Tiles	33,34
17.	Life Saving Equipment	35



FILTRATION EQUIPMENT

SSS Aqua Pool in Delhi offers a variety of swimming pool filtration equipment designed to maintain water clarity and hygiene. Here are some of the filtration systems they provide:







Filteration Equipments


Top Mount Fiber Glass Bobbin Wound Sand Filter

SSS AQUA POOL
SHINE WAVE

Features:-

- The fiberglass winding design enables the filter to be durable, deforming-proof and corrosion resistant.
- A uniques and advanced design ensures fast draining and stabilizes water flow.
- The 6-poisition multi-port valve with a user friendly handle easily provides you a maximum flow at low pressure drop.
- The Sand filter comes with a precise pressure gauge.
- It is easy to install and to maintain.
- The Outlet turbidity is less than 2FTU.
- Working pressure is 2.5 Kg cm²/36 psi.
- UV resistance surface allows the filter to work under direct sunlight.
- Maximum operating temperature is 43°C.





Technical Information

Code	Model	Design Flow m³/hr	Filteration Area m²	Pipe Size Inch	Sand Req. Kg
SS-18	SS450-18"	8	0.15	1.5	55
SS-21	SS550-21"	12	0.22	1.5	65
SS-25	SS650-25"	16	0.32	1.5	75
SS-28	SS700-28"	20	0.37	1.5	150
SS-30	SS800-30"	24	0.44	2.0	250
SS-32	SS900-32"	27	0.56	2.0	300
SS-36	SS1000-36"	32	0.70	2.0	450
SS-44	SS1100-44"	40	0.93	2.0	500
SS-48	SS1200-48"	46	1.10	2.0	650
SS-55	SS1400-55"	52	1.50	2.0	760

Code	SS-16	SS-18	SS-22	SS-25	SS-28	SS-30	SS-33	SS-36	SS-40	SS-48
A	400	450	550	650	700	750	800	900	1000	1200
B	536	580	610	710	740	730	870	970	1160	1164
C	730	840	870	970	1000	1020	1160	1260	1380	1450







Functions: Refer To 6 - Way Multi Port Valve

For Top Mount Deep Bed Filters







Maximum working Pressure	250kpa/36psi/2.5bar or 400kpa/ 58psi/ 4.0bar
factory testing pressure	400kpa/58psi/ 4.0bar or 600kpa/ 86psi/ 6.0 bar
size of silica sand	0.4 0.8 mm
Maximum filtration velocity	50m³/hr/m²
maximum water temperature	49°C(120°F)

Filteration Equipments

Side Mount Fiber Glass Bobbin Wound Sand Filter

SSS AQUA POOL
SHINE WAVE

Features:-


- The fiberglass winding design enables the filter to be durable,deforming-proof and corrosion resistant.
- A unique and advanced design ensures fast draining and stabilizes water flow.
- The 6-poisition multi-port valve with a user friendly handle easily provides you a maximum flow at low pressure drop.
- The Sand filter comes with a precise pressure gauge.
- It is easy to install and to maintain.
- The Outlet turbidity is less than 2FTU.
- Working pressure is 2.5 Kg cm²/36 psi.
- UV resistance surface allows the filter to work under direct sunlight.
- Maximum operating temperature is 43°C.
- Smooth & High brightness apperance easy to clean.
- Universal standard of union connection provided.





Technical Information

Model	Design Flow m³/h	Filteration Area m²	Pipe Size Inch	Sand Req. Kg
SMF-18-1.5"	7.5	0.15	1.5	80
SSF-21-1.5"	11	0.22	1.5	150
SSF-25-1.5"	15	0.32	1.5	220
SSF-28-1.5"	18	0.37	1.5	240
SSF-30-2"	22	0.44	2.0	270
SSF-32-2"	28	0.56	2.0	400
SSF-36-2"	35	0.70	2.0	470
SSF-36-2.5"	35	0.70	2.5	470
SSF-44-2"	46	0.93	2	900
SSF-44-2.5"	46	0.93	2.5	900
SSF-48-2"	46	0.93	2	900
SSF-44-2.5"	55	1.1	2.5	1300
SSF-48-3"	55	1.1	3.0	1300



Pipeless Filters



Wall Mount Filter

SS AQUA POOL 2080
1.5 HP x 1 Pump, 220V/50Hz
Flow Rate: 15 m/h
Fibre Glass Shell
Size: 1110 x 670 x 780 mm
1 Pcs. Under Water S.S. LED Light
1 Pcs. Transformer
1 Pcs. Skimming Basket
1 Pcs. Filtration Bag
1 Pcs. Timing Control Box
1 Set 304 S.S. Hand Rail
1 Pcs. ABS Big Jet &
1 Pcs. ABS Air Jet







TECHNICAL INFORMATION

Model No.	Power	Flow Rate	Material	Dimension	Voltage	Under-Water Light	Filter Media	Efficiency	Assembly Way	Colour
SPF AQUA POOL 0.12	1.5 HP	15 m/h	Fibreglass Shell	1110 x 670 x 780	220V 50Hz	12W/12V DC	Filter Bag	5-15 µm	Wall Mounted	White

Filter Media

Filter Media-Sand & Glass Media



Grade-1

Size: 4/8, Approx.5-6mm
Packaging: 25kg Bag



Grade-2

Size:8/16
Packaging: 25kg Bag



Grade-3

Size: 16/30/32
Packaging: 25kg Bag

- SSS Aqua Pool Glass Filter Media is the environmentally friendly filter media and a viable alternative send;
made from glass recycled in the Japan, it doesn't involve intrusive mining and the use of scare resources.

This media is more efficient. It can remove up to 30% more material and pollutants than, so saving on backwashing and the resultant water, energy and chemical treatment costs.

This media is suitable for both commercial and residential filters with laterals or nozzle plates.



Size:4/8



Size:8/16



Size:16/32

The single media filtration by use of filter sand is widely spread as a general filtering method. However in these days the treated water quality standards are tightened in addition to the deterioration problem of raw water quality arisen from the growth of algae and cryptosporidium, the part of filtration, which is a key point of water purification become more important and performace is required.

Pre-filtration to protect membrane process from fouling.
Filtration of cooling water to prevent heat exhanger fouling.
Pressure filters uses granular media to remove contaminants from water.

Swimming Pool Pumps

SSS AQUA POOL
SHINE WAVE



Applications

- Energy Efficiency Upgrades
- Routine Maintenance
- Low Noise
- Powerful Motor

Jet pump for bath tubs, spa pools, Swimming pools, massage stations and Cleaning Systems.

Swimming Pool Pumps

SSS AQUA POOL
SHINE WAVE



Applications:

Jet pumps for bath tubs, spa pools, Swimming pools, massage stations and Cleaning Systems.

Features:

- Wet ends made of high reinforced engineering thermal plastic with compact structure and corrosive-resistance.
- 1.5 inch Inlet and outlet.
- High eficient structure design for diffusor and impeller to get higher performance.
- Motor/Pump shaft has no contact with the water.
- No contact between motor shaft and liquid.
- Continious Operations



Motor:


- 2-pole induction motor Single-phase: 220-240/50Hz Single-phase with thermal protector

a. Capacitor inset
b. Insulation class F
c. Protection IPX5
d. Continuous duty

SPM- Series:

Model	Power (P1) KW	HP	Qmax (1/min)	Hmax (m)	V/Hz	(Amps)	Fitting size (mm)	(Kg)
SPM-050	0.37	0.50	195	7	220-240/50	1.9	48.5 or 50	9.3
SPM-075	0.55	0.75	255	10	220-240/50	2.7	48.5 or 50	9.5
SPM-100	0.75	1.0	340	12.5	220-240/50	3.5	48.5 or 50	9.7
SPM-150	1.1	1.5	390	17.5	220-240/50	5.8	48.5 or 50	10.9
SPM-200	1.5	2.0	470	18.5	220-240/50	7.0	48.5 or 50	11.5

Product Dimensions (unit: mm)




Swimming Pool Pumps

SSS AQUA POOL
SHINE WAVE





3400RPM 60Hz




Swimming Pool Ladders


SOL Series Ladders

SSS AQUA POOL
SHINE WAVE

SSS Aqua Pool Ladders are made with high quality grade SS 304, stainless steel 38/42mm tube for relibility and durability complete with anchoring fixtures.







CODE	Trades	A	B	C	D	E	F	G	H
SOL-02	2	510	700	250	1450	230	460	760	685
SOL-03	3	510	700	250	1700	230	460	760	685
SOL-04	4	510	700	250	1950	230	460	760	685
SOL-05	5	510	700	250	2200	230	460	760	685






Swimming Pool Ladders


SSN Series Ladders

SSS AQUA POOL
SHINE WAVE

SSS Aqua Pool Ladders are made with high quality grade SS 304, stainless steel 38/42mm tube for relibility and durability complete with anchoring fixtures.







CODE	Trades	A	B	C	D	E	F	G	H
SSN -02	2	180	710	250	1450	230	460	565	340
SSN -03	3	180	710	250	1700	230	460	565	340
SSN -04	4	180	710	250	1950	230	460	565	340
SSN -05	5	180	710	250	2200	230	460	565	340



SSS Aqua Pool offers premium swimming pool ladders made from rust-resistant stainless steel for long-lasting durability.
Designed with anti-slip steps, they ensure maximum safety and comfort while entering or exiting the pool.
Our ladders are sturdy, stable, and suitable for all types of pools, from residential to commercial.
With a sleek and modern design, they enhance both functionality and aesthetics.
Upgrade your pool with SSS Aqua Pool ladders for a safe and stylish swimming experience!

Commercial Heat Pump

SSS AQUA POOL
SHINE WAVE



- Patented high-performance titanium exchanger has more stable performance and greatly resist erosion of chlorine ion water, solid and durable.
- Exterior is anti-UV plastic ABS corrosion resistant casing material with injection model or normal plastic model.
- By using high-heat exchanger technology, 65-80% of running cost can be saved compared with other heating machines. It consumes 1kw to produce about 5.5kw heating capacity, possessing high COP.
- Heating and cooling with reversible defrosting.
- Remote and intelligent controller design with Celsius of fahrenheit temperature display for options.
- LCD or colorful LED controller for options
- Super power failure memory.
- Flow switch built-in to avoid the low level water or devoid of water.
- Advanced technology to mute noise from compressors and fans.

Model No.	SPPH - 21	SPPH-35	SPPH-70	SPPH-120
Rating Heating Capacity	21 kW	35 kW	70 kW	120 kW
Input Power	5 KW	8 KW	14 KW	27 KW
Water Temperature Range	Up to 40°C	Up to 40°C	Up to 40°C	Up to 40 Ĉ
Operating Ambient Temperature	0 to 45°C	0 to 45°C	0 to 45°C	0 to 45°C
Compressor Type	Hermetically Sealed Scroll	Hermetically Sealed Scroll	Hermetically Sealed Scroll	Hermetically Sealed Scroll
Unit Dimension (L x W x H) (mm)	700 x 690 x 750	1295 x 685 x 1320	1295 x 685 x 1320	1780 x 1068 x 1780
Water Connection (mm)	50	50	50	50
Refrigerant	R-407 C/ R-22	R-407 C/ R-22	R-407 C/ R-22	R-407 C / R-22
Power Supply	50 Hz, AC 3 phase, 415 V,	3 phase, 415 V, 50 Hz, AC	3 phase, 415 V, 50 Hz, AC	3 phase, 415 V, 50 Hz, AC
Noise	<65 dB (A)	< 65 dB (A)	< 65 dB (A)	< 65 dB (A)
Configuration	Top discharge / Side discharge	Top discharge / Side discharge	Top discharge / Side discharge	Top discharge / Side discharge
COP	4.5	4.5	4.5	4.5
Anti-freezing Protection	Included	Included	Included	Included

SS SHOWER SPRAY HEAD





FAST SPRAY



SOFT SPRAY



FULL BODY SPRAY



JET MASSAGE

EXPERIENCE WATER IN DIFFERENT WAYS!

Product Features

- Stainless Steel AISI-304 tube
- Chrome plated heads
- Hydrotherapy shower effects
- Unique design with excellent waterproofing and corrosion resistance
- Easy installation and maintenance

Robotic Pool Cleaner

Automatic Pool Cleaner / Robotic Pool Cleaner

SSS AQUA POOL
SHINE WAVE



SCR 1 Robotic Pool Cleaner

- Aqua Clean Robotic Cleaner utilizes Aqua Smart system technology which drives the cleaner to efficiently clean the entire pool every time. Residential pools up to 860 ft.2 are throughly scrubbled, cleaned and filtered in just 90 minutes.

  - Cleans all surface types.
  - Climbs wall and obstacles
  - Scrubs waterline
  - PVA brushes for superior grip
  - No installation required
  - Low maintenance
  - Clean filter bag indicator (115V model only)
  - Convenient caddy option available
  - Pump motor - 24V-DC high speed submersible
  - Drive motor - 24V-DC high speed submersible

- Automatic Swimming Pool Accessories Cleaning Robot Vacuum Cleaner Cleaning:

- Cleans, vacuums and stores wastes and dirts thanks to its great filter bag Cleaning:
- Cleans, vacuums and stores wastes and dirts thanks to its great filter bag
- Easy to clean
- Optimized cleaning time for floor / wall / water line

Remote control:

- Can be started or stopped remotely
- Anti-jamming side domes:
- Side domes allow the cleaning of hard to reach corners
- Prevent the robot from getting stuck in certain angles and any contact between the body and the liner





SCR 2 Robotic Pool Cleaner



SCR 3 Robotic Pool Cleaner




SCR 4 Robotic Pool Cleaner


Pool Fittings

SSS AQUA POOL
SHINE WAVE



	Model No: SS-01
	Mini Skimmer
	Color: White
	Flow Rate: 9M³/hr
	Mini Skimmer for Concrete/Vinyl Pool Material ABS Connection 1-1/2" Threaded

	Model No: SS-02
	Squire Main Drain
	Color: White
	Flow Rate: 850L / Min
	Squire Main Drian 300mm X 300mm Material-ABS

	Model No: SS-03
	Squire Main Drain
	Color: Chrome Finish
	Flow Rate: 850 L/min
	Size: 300mm x 300mm 450mm X 450mm Material Stainless Steel

	Model No: SS-04
	Circular Main Drain
	Color: White
	Flow Rate: 63mm
	Circular ABS Main Drain for Concrete Pool w/170mm in Diameter & 2" int.tr

	Model No: SS-05
	Floor Inlet
	Color: White
	Flow Rate: 12M³/hr
	1.5inch Water Inlet Draining

	Model No: SS-06
	Low Profile Shower Drain
	Color: White
	Flow Rate: 63mm
	Circular ABS Main Drain Diameter & 1.5" int.tr

Pool Fittings

SSS AQUA POOL
SHINE WAVE



Model No:	SS-07
Wall Return/ Floor Intel Side Flow	
Color: White	
Flow Rate: 9M³/hr	
Floor inlets Made in White ABS, These are UV resisted and are appreciated for longer service life. Connection 50mm / 63mm	



Model No:	SS-08
Floor Inlet Grill Type	
Color: White	
Flow Rate: 9M³/hr	
Floor inlets side flow system Made in White ABS, These are UV resisted and are appreciated for longer service life. Connection 50mm / 63mm	



Model No:	SS-09
Wall Return/Floor Inlet Flower Type	
Color: White	
Flow Rate: 12M³/hr	
Adjustable Floor inlets Made in White ABS, with mulitple flow UV protected appreciated for long life. Connection 50mm / 63mm	



Model No:	SS-10
Eye Ball Nozzle	
Color: White	
Flow Rate: 4.5M³/hr	
Eye Ball Nozzle inlets Made in White ABS, with multiple flow UV protected appreciated for long life. Connection 50mm / 63mm suitable for 10 & 6 Kg pressure	



Model No:	SS-11
Jet Nozzle Diffuser	
Color: White	
Flow Rate: 4.5M³/hr	
Jet Nozzle Diffuser inlets Made in White ABS, with multiple flow UV protected appreciated for long life.	



Model No:	SS-12
Single Hole Jet	
Color: White	
Flow Rate: 3.5 M³/hr	
Flow Rate: 3.5 M³/hr Connection Size-50mm Material-ABS	



Model No:	SS-13
Vaccum Point/Suction Inlet	
Color: White	
Flow Rate: 4.5M³/hr	
Suction inlets Made in White ABS, These are UV resisted and are appreciated for longer service life. Connection 63mm	



Model No:	SS-14
Wall Conduit	
Color: White	
Flow Rate: 9M³/hr	
Size: 63mm Threaded Material ABS	



Model No:	SS-15
Standard Skimmer	
Color: White	
Size: 50mm/63mm thread	
Standard Wall Skimmer for Concrete Pool Material-ABS	



Model No:	SS-16
Wide Mouth Skimmer	
Color: White	
Size: 50mm/63mm thread	
Wide Mouth Skimmer for Concrete Pool Material-ABS	

SSS AQUA POOL
SHINE WAVE



CLEANING EQUIPMENTS

SSS Aqua Pool in Delhi offers a range of pool cleaning equipment designed to maintain the cleanliness and hygiene of swimming pools. Here are some of the products they provide:



ALGAE BRUSH



LEAF SKIMMER



VACCUM HEAD

Pool Cleaning Equipments

Cleaning Equipments

SSS AQUA POOL
SHINE WAVE



Model No:	SS-17
Description	
Standard Curved Poly Bristle Wall Brush -18"	
Standard Packing	1
Weight (KG)	200gm
Size	18"



Model No:	SS-18
Description	
Poly Bristle Wall Brush 10"	
Standard Packing	1
Weight (KG)	125gm
Size	10"



Model No:	SS-19
Description	
Deluxe Stainless Steel Algae Brush 18"	
Standard Packing	1
Weight (KG)	-
Size	18"



Model No:	SS-20
Description	
Hi-grade Stainless Steel Algae Brush - 10"	
Standard Packing	1
Weight (KG)	190gm
Size	10"



Model No:	SS-21
Description	
Poly Bristle Wall Brush with Aluminium back handle - 18"	
Standard Packing	1
Weight (KG)	320gm
Size	18"



Model No:	SS-22
Description	
Stainless Steel Algae Brush with Aluminium back 18"	
Standard Packing	1
Weight (KG)	367gm
Size	18"



Model No:	SS-23
Poly Bristle Brush	
20"/50 cm Flexible Poly Bristle Brush with Alu Handle	
Standard Packing	1
Weight (KG)	
Size	20"



Model No:	SS-24
Nylon Bristle Brush	
20"/50 cm Flexible Nylon Bristle Brush with Alu Handle	
Standard Packing	1
Weight (KG)	
Size	20"



Model No:	SS-25
Description	
Aluminium Leaf Skimmer (Blue Handle)	
Standard Packing	1
Weight (KG)	
Frame	Aluminium



Model No:	SS-26
Description	
Heavy Duty plastic leaf skimmer with Long wearing Mesh	
Standard Packing	1
Weight (KG)	
Series	Deluxe



Model No:	SS-27
Description	
Vaccum head with 4 wheels, alu body - 18"	
Standard Packing	1
Weight (KG)	2.73kgs
Size	18"



Model No:	SS-28
Description	
Vaccum head with 4 wheels, alu body - 14"	
Standard Packing	1
Weight (KG)	2.20kgs
Size	14"

Pool Cleaning Equipments

Cleaning Equipments

SSS AQUA POOL
SHINE WAVE




Model No:	SS-29
Description	
Economy deep bag skimmer	
Standard Packing	1
Weight (KG)	
Size(mm)	17x8x14



Model No:	SS-30
Description	
EVA Spiral Vaccum Hose-15mtr	
Standard Packing	1
Weight (KG)	3.200 kg
Quality	EVA




Model No:	SS-31
Description	
Basic PH & Cl test Kit	
Standard Packing	1
Phinol Red	15ml
Orthotodiline	15ml



Model No:	SS-32
Description	
2.4m Ribbed Pole/Telescopic Pole-1.1mm Thickness/Blue/Silver	
Standard Packing	1
Weight (KG)	
Size(m)	(2 X 1.2)



Model No:	SS-33
Description	
4.8m Ribbed Pole/Telescopic Pole-1.1mm Thickness/Blue/Silver	
Standard Packing	1
Weight (KG)	
Size(m)	2 X 2.4



Model No:	SS-34
Description	
Ribbed Pole/Telescopic Pole 7.2m Thickness/Blue/Silver	
Standard Packing	1
Weight (KG)	
Size(m)	2 X 3.6



Model No:	SS-35
Description	
Extruded PE Vaccum Hose-15mtr	
Standard Packing	1
Weight (KG)	3.00 kgs
Quality	PE

SSS AQUA POOL
SHINE WAVE

SSS AQUA POOL SHINE WAVES

This equipment is ISO certified and designed for efficient pool maintenance. It includes components like aluminum swimming pool vacuum heads, which assist in thorough cleaning by removing debris from the pool floor.





Swimming Pool Underwater Light

SSS Aqua Pool provides premium LED and underwater lighting solutions for swimming pools, ensuring safety, efficiency, and aesthetics. They offer durable and stylish lights for residential, commercial, and hotel pools.








Underwater Lights/Lighting

Undrewater Lights - Swimming Pool


SSS AQUA POOL
SHINE WAVE




Model No:	SS-101
Led Under Water Light (ABS)	
Diameter-250mm Material-ABS, Thickness-68mm IP 68, Surface Mount High Quality Electrical Cable 1m	
Volts/Walts: 12V/10W/20W	
Led Color: Warm/Cool White/Blue/RGB	



Model No:	SS-102
Under Water Light (Halogen)	
ABS Under Water Light (Halogen) Diameter-290mm IP-68	
Volts/Walts: 12V/10W	
Light Color: Warm White	




Model No:	SS-103
Led Under Water Light (SS)	
Diameter-240mm Material-SS 304, Thickness-62mm IP-68, Surface Mount High Quality Electrical Cable 1m	
Volts/Walts: 12V/10/20W	
Led Color: Warm/Cool White/RGB/Blue	



Model No:	SS-104
Under Water Light (LED)	
ABS Under Water Light (LED) Diameter-290mm IP-68	
Volts/Walts: 12V/10W/18W/20W	
Led Color: Warm/Cool White/RGB	



Model No:	SS-105
Led Under Water Light (SS)	
Diameter-150mm Material-SS 304, Thickness-25mm IP-68, ABS Blue Ring Top, Surface Mount High Quality Electrical Cable 1m	
Volts/Walts: 12V/10W/20W	
Led Color:Warm/Cool White/RGB/Blue	



Model No:	SS-106
Led Under Water Light (SS)	
Diameter-150mm Led Type SMD Material SS 304 IP-68	
Volts/Walts: 12V/10W/20W	
Led Color: Warm /Cool white	



Model No:	SS-107
Led Under Water Light (SS)	
Diameter-150mm Material-SS 304 IP-68, ABS White Ring Top, Surface Mount High Quality Electrical Cable 1m	
Volts/Walts: 12V/10W/20W	
Led Color:Warm/Cool White/RGB/Blue	



Model No:	SS-108
Fountain Under Water Light	
Diameter-150mm, 175mm Material-SS 304 IP-68	
Volts/Walts: 12V/18W/27W	
Led Color: Warm/Cool White/RGB	



Model No:	SS-109
Led Under Water Light	
Diameter-100mm Material-SS 304 IP-68, Surface Mount	
Volts/Walts: 12V/10W/12Wt/18W1/20Wt	
Led Color: Warm/Cool White/RGB/Blue	



Model No:	SS-110
LED Under Water Light	
Diameter-190mm Thickness-32mm, Material-ABS IP-68, 100% Water Proof Electrical Cable 1 mtr.	
Volts/Watts: 12V/12,14,18,20W	
Led Color: Warm/Cool white	



Model No:	SS-111
Led Under Water Light	
Diameter-100mm Thickness-20mm Material-ABS IP-68, Surface Mount	
Volts/Walts: 12V/9W/10W	
Led Color: Warm/Cool/RGB/Blue	



Model No:	SS-112
Led Under Water Light	
Diameter-167mm Thickness-22.5mm Material ABS, Led Type-SMD High Quality Electrical Cable 1m	
Volts/Walts: 12V/10W/12W/20W/24W	
Led Color: Warm, Cool, Blue and RGB	


Underwater Lights/Lighting

Undrewater Lights - Swimming Pool

SSS AQUA POOL
SHINE WAVE



Model No:	SS-113
Fountain Led Under Water Light	
Diameter-100mm, Material-ABS Stand Type, Height With Stand-142mm Thickness-23mm, Niche Dia-80mm IP-68	
Volts/Walts: 12V/9W DC	
Led Color: Warm/Cool White/RGB	



Model No:	SS-114
Solar Floating Pool Light (colorful)	
Type - Floating without wire	
Volts/Walts: -	
Led Color: Warm, Cool, Blue and RGB	



Model No:	SS-115
Fountain LED Under Water Light	
Round Dia-160mm Angle 30-45 deg. Material SS 304, IP-68 with stand	
Volts/Walts: 12V/27W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-116
Fountain Under Water Light	
100% Waterproof Round Dia 140/150mm. Angle 30-45 deg, IP-68	
Volts/Walts: 12V/36W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-117
Fountain Led Light	
Material SS 304 Round dia 75mm IP-68 Stand Type	
Volts/Walts: 12V/9W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-118
Fountain Led Light	
Angle 30 deg IP-68, Round dia 75mm Material SS 304	
Volts/Walts: 12V/9W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-119
Fountain Led Light	
Material SS 304 Angle 30 deg Round dia-75mm, IP-68	
Volts/Walts: 12V/9W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-120
Mini Led Light	
ABS Mini Led Light With 3 LEDS	
Volts/Walts: 12V/3W	
Light: Warm/Cool White/RGB	



Model No:	SS-121
Fountain Led Light (Nozzle Mount)	
Round Dia 150mm Angle 30-45 Material SS 304 IP-68	
Volts/Walts: 12V/3wt	
Light: Warm/Cool White/ Multi Color	



Model No:	SS-122
Fountain Led Light (Nozzle Mount)	
Round dia 100mm Material SS 304 Angle 30 IP-68	
Volts/Walts: 12V/18Wt	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-123
ABS Mini Led Under Water Light	
Round Dia 90mm Niche Dia-60mm/Depth-63mm Material-ABS 18 Multi Color Leds, IP-68	
Volts/Walts: 12V/3W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-124
Fountain Under Water Light (Stand)	
Diameter-110mm Material-SS 304 IP-68	
Volts/Walts: 12V/9W/18W	
Light:Warm/Cool White/ Multi Color	

Underwater Lights/Lighting

Undrewater Lights - Swimming Pool

SSS AQUA POOL
SHINE WAVE




Model No:	SS-125
Junction Box For Underwater Light	
Available in 240V-12V Standard plug Front-129mmx129mm Depth-86mm, Niche Dia-11mm	
Material ABS	
Option for Flexible Conduit Hose	



Model No:	SS-126
Led Under Water Light	
Diameter 100 mm Material SS 304 IP-68 Surface Mount	
Volts/Walts: 12V/9Wt, 10wt	
Led Color: Warm / Cool White	



Model No:	SS-127
Led Driver for RGB Under Water Lights	
Led Controller for RGB Multicolor Light Input Voltage-AC 220V	
Output Voltage-DC 12V	
Body-MS Powder Coated	



Model No:	SS-128
LED Controller	
Power Supply available in 2A, 5A, 10A, 12.5A, 15A, 20A	
Volts: 12V-DC	



Model No:	SS-129
LED Under Water Light	
Beam Angke 120 deg, CCT(k)-6500, Material-ABS, Diameter- 285mm,Thickness-85mm, Deliver 34 lm@65mA, 4000k	
Volts/Walts: 12V/10W	
Light: Warm/Cool White/ Blue Color	



Model No:	SS-130
LED Under Water Light	
Beam Angke 120 deg, CCT(k)-6500, Material-ABS, Diameter- 285mm,Thickness-85mm, Deliver 34 lm@65mA, 4000k	
Volts/Walts: 12V/20W	
Light: Warm/Cool White/ Blue Color	



Model No:	SS-131
LED Under Water Light	
Material ABS, IP-68 Round Dia-167mm Angle 30-45 deg. IP-68	
Volts/Walts: 12V/18W	
Light: RGB/Multi Color	



Model No:	SS-132
LED Under Water Light	
Material ABS Diameter - 178mm Thickness-30mm Surface Mount, IP-68	
Volts/Walts: 12V/12W	
Light: Warm/Cool White	



Model No:	SS-133
Fountain Led Under Water Light	
Depth:55mm, Material: ABS Outer Diameter: 230mm Back Housing OD: 129mm Front Glass OD: 133mm	
Volts/Walts: 12V/12W/24W	
Color: Warm & Cool White/Multi Color/RGB	



Model No:	SS-134
Fountain Led Under Water Ligh	
Depth:33mm,Material: ABS Outer Diameter: 165mm Back Housing OD: 109mm Front Glass OD: 112mm	
Volts/Walts: 12V/12W	
Color: Warm & Cool White/Multi Color/RGB	



Model No:	SS-135
Fountain Led Under Water Light	
Dia Front-94mm, Dia Back-60mm, Power LED, Thickness-66mm Power LED, Stand Type	
Volts/Walts: 12V/9W	
Light:Warm/Cool White/ Multi Color	



Model No:	SS-136
Fountain Led Under Water Light	
Front SS 304, Back Housing Aluminium Power Led, Dia Front: 124mm	
Volts/Walts: 12V/18W	
Color: Warm White/RGB	

SSS AQUA POOL
SHINE WAVE



COUNTER CURRENT PUMP

Dive into the joy of a sparkling clean pool with Crystal Clear Pool.




Counter Current

Counter Flow System Pump

SSS AQUA POOL
SHINE WAVE





- Single-stage centrifungal pumps with complete drainage device. Inbuilt counterflow system.
- This jet streams is ready for easy installation. It is possible to regulate tl jet strength adjustable. The nozzle, suction and pneumatic switch are positioned in the front cover panel of the euipment complete counter-flow system includes.
- Counterflow nozzle 40mm(regulation water-air)
- Front wall lead-through Pump Electroneumtic switch with safety element PVC fitting Available 3HP/2.2KW, 4HP/3KW, 5.5HP/4KW

Swim Jet 3000

- Jet Swim house made of stainless steel, front and handle made of polished acid-proof stainless steel AISI 304. For mounting in concrete, wood or building block walls.
- Lpump power: 3KW
- Control box inluding contractor and overhead protection
- Air mixture control
- Air mixture hose
- Hose connectors
- Hose clamps
- Hose for suction and pressure
- Valves



Technical Characteristics					
Model	Power (KW)	Voltage	Connection Size	Water Capacity (L/Min)	Jet Material
SSJET-3000	3	220/380	75	70	Bronze Stainless Steel

Water Treatment



Water Treatment - Chemical

SPC-130



SPC-131

TCCA - 90

Trichloroisocynanuric Acid
TCCA 90 is available in
Granular,
Tablets, Powder form.
Packing -25kgs, 50kgs.
Effective Chlorine 90%.
Moisture 0.5% Max.
Long duration of Sterlizing effect.



SPC-132



SPC-133

Algaecide


Algaecide is biocide used fro killing and preventing the growth of algae, bacteria, germs, black / green algae. Can be used as a sprey or directly into the water column.
Promotes Water Clearity



SPC-134

Swimming Pool Cover

SSS AQUA POOL
SHINE WAVE



Water Treatment - Chemical

Besides offering energy savings, pool covers also do the following:
Conserve water by reducing the amount of make-up water needed by 30%-50%
Reduce the pool's chemical consumption by 35%-60%
Reduce cleaning time by keeping dirt and other debris out of the pool.
You can significantly reduce swimming pool heating costs by using a pool cover.

Specification:-

- Material LDPE
- Bubble diameter 8- 12 mm
- Thickness 400-600 micron
- Available in every shape and size
- UV and Chemical resistant
- Strong and heavy duty border
- Heat welded to any shape and size
- Durable and water proof
- Save Water chemical and valuable time-Long life
- Easy Installation


Technical Specifications


- Stainless steel stands and tube grade 304
- Well Polished
- Heavy duty tubing
- Bearings per side insure smooth operation
- Every sizes are available as per customer choice
- Superior control of pool Cover handling procedure

Swimming Pool Gratings

Swimming Pool Overflow Grating-Single


SSS AQUA POOL
SHINE WAVE






Grating Features:

1. Manufactured in Polypropylene +Co-Polymer with UV Protected
2. Different lock system to match pool shape
3. Heavy Duty with Non Slip Surface.
4. Weather Proof
5. Colours Available- White, Blue, Black & All As per customers's demand.
6. Height: 24mm, 35mm








Swimming Tiles


Glass Mosaic Tiles

SSS AQUA POOL
SHINE WAVE







SS-141



SS-142



SS-143




SS-144



SS-145




SS-146




SS-147




SS-148




SS-149



SS-150



SS-151





SS-152


Swimming Tiles

Glass Mosaic Tiles


SSS AQUA POOL
SHINE WAVE



SS-153



SS-154



SS-155



SS-156


SS-157



SS-158



SS-159


SS-160



SS-161


SS-162


SS-163


SS-164


SS-165


SS-166


SS-167


SS-168

Life Saving Equipment

SSS AQUA POOL
SHINE WAVE






life saving hook



Life Buoy



Life Buoy kids



Life Jacket 1



Life Jacket 2



Life Jacket 3



Rescue Rope



Life Guard Chair


THANK
YOU



SSS AQUA POOL
SHINE WAVE

GST: 07AGAPL2565M2Z6

PLOT No.9, G/F KH.No.453,462,450,172,458,446,449,448, VILLAGE-ASOLA, New Delhi, South Delhi, Delhi, 110074, Delhi, Delhi, 110074, India

Ph no : +91 9289161417 , +91 9717013893, +91 9911883336 , +91 9871712746

Mail Id: info@sssaquapool.in , Sales@sssaquapool.in